

FISH & RICHARDSON P.C.

A

2200 Sand Hill Road
Suite 100
Menlo Park, California
94025

Telephone
650 322-5070

Facsimile
650 854-0875

April 10, 1998

Attorney Docket No.: 07844/273001

Box Patent Application

Assistant Commissioner for Patents
Washington, DC 20231

Presented for filing is a new utility patent application of:

Applicant: JEFFREY H. MICHAUD, DOUGLAS K. OLSON
Title: ASSIGNING A HOT SPOT IN AN ELECTRONIC
ARTWORK

Enclosed are the following papers, including all those required to receive a filing date under 37 CFR §1.53(b):

	<u>Pages</u>
Specification	9
Claims	2
Abstract	1
Declaration	1
Drawing(s)	2


Enclosures:
• Postcard.

No filing fee is being paid at this time.

If this application is found to be INCOMPLETE, or if a telephone conference would otherwise be helpful, please call the undersigned at 650/322-5070.

"EXPRESS MAIL" Mailing Label Number Em 202 543 402
Date of Deposit April 10, 1998

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office To Addressee" with sufficient postage on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.




FISH & RICHARDSON P.C.

Kindly acknowledge receipt of this application by returning the enclosed postcard.

Please send all correspondence to:

Roger S. Borovoy
Fish & Richardson P.C.
2200 Sand Hill Road, Suite 100
Menlo Park, CA 94025

Respectfully submitted,

A handwritten signature in dark ink, appearing to read 'Hans R. Troesch', written over the closing text.

Hans R. Troesch
Reg. No. 36,950

Enclosures

0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99


APPLICATION
FOR
UNITED STATES LETTERS PATENT

TITLE: ASSIGNING A HOT SPOT IN AN ELECTRONIC ARTWORK
INVENTOR(S): JEFFREY H. MICHAUD
DOUGLAS K. OLSON

"EXPRESS MAIL" Mailing Label Number EM 202 543 402

Date of Deposit April 10, 1998

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "**Express Mail Post Office To Addressee**" with sufficient postage on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.



ASSIGNING A HOT SPOT IN AN ELECTRONIC ARTWORK

CROSS REFERENCE TO RELATED APPLICATIONS

Not Applicable.

STATEMENT REGARDING FEDERALLY SPONSORED

5 RESEARCH OR DEVELOPMENT

Not Applicable.

BACKGROUND OF THE INVENTION

The invention relates to generating artwork or
digital images with hot areas for computer program graphical
10 user interfaces.

Computer program interfaces have long provided
user-selectable graphics, such as buttons, as elements
through which a user may interact with a computer program,
to select an option or request a service from the program,
15 for example. In network-based or distributed computer
program applications, the selection of an interface element
in a client program on one computer may be directed to
either that program or to another program, such as a server
program running on a separate computer. In Internet and
20 intranet applications, the server program typically resides
on a server computer remote from the client computer and
communicating with it through a network connection.

One widely distributed and used class of client
program is the HTML browser, such as the Netscape Navigator™
25 browser, available from Netscape Communications Corporation
of Mountain View, California. Browsers typically provide
support for a number of industry standard protocols, such as
HTTP (HyperText Transport Protocol), and industry standard

formats, such as HTML (HyperText Markup Language).

An HTML document may include links to other resources. Graphically, the simplest form of link is the URL (Universal Resource Locator) of the resource displayed in the familiar form of underlined text. Access to a resource may also be provided through an image that a user may select to request the resource. The HTML specification includes, among other elements, a MAP element and an IMG element with an ISMAP attribute for this purpose. The ISMAP element can be used to define a server-side image map. When the user clicks on the image, the ISMAP attribute of the element causes the image (x,y) coordinates of location clicked to be passed to the server in a derived URL. A MAP element may be used with an IMG element to provide a client-side image map. AREA elements define simple closed regions, such as polygons and circles, by their coordinates within the image. AREA elements in a MAP element can define hot spots or areas on the image and link the hot spots to URLs. A hot spot is an area of an image, which may correspond to graphic object or a section of text, that activates a function when selected.

SUMMARY OF THE INVENTION

In general, in one aspect, the invention features apparatus and methods implementing a technique for creating an electronic artwork with a hot area. For a selected layer of the artwork, a non-transparent region is identified and an action is assigned to an area corresponding to the non-transparent region, the action defining a function that will be activated when the area is selected. The technique is advantageous in computer application programs that

composite images from layers.

Advantageous implementations of the technique include one or more of the following features. The action is a URL (Uniform Resource Locator). The layers of the artwork are composited and the area and the action are converted to a target output format. The target output format is HTML (HyperText Markup Language). A boundary of the non-transparent region is calculated and a definition of the area is calculated from the boundary. The composited artwork is written out as an image file and an HTML file is written out; the HTML file contains an image map for the area and a URL for the action, and refers to the image file.

Among the advantages of the invention are one or more of the following. An image object associated with a hot spot can be edited, and the hot spot will be conformed automatically to the edited object. The content of a layer defining a hot spot can be dynamic, that is, computed from other data at the time the layers are composited, and the hot spot will be conformed automatically to the dynamic content. Multiple hot spots can easily be created in a composite artwork. The method of assigning hot spots can be added easily to any graphics application that supports layers. The regions in the artwork layer by which a hot spot is defined do not have to be visible in the final composited image. For example, a visibility attribute of a hot spot layer can be set to invisible, and the hot spot will still be generated.

Other features and advantages of the invention will become apparent from the following description and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a schematic diagram of user interface elements in accordance with the present invention.

FIG. 2 is a flow chart of a method for creating a hot spot in an electronic artwork in accordance with the present invention.

DETAILED DESCRIPTION

A wide variety of systems exist by which a user, such as an artist, can generate an electronic artwork.

10 Graphics applications -- that is, computer programs designed to enable a user to manipulate data or images, or to create images from data or from a library of shapes -- enable the user to produce an electronic artwork (a picture) interactively. Two such applications are Adobe® Illustrator and Adobe® Photoshop, available from Adobe Systems
15 Incorporated of San Jose, California. In general, a picture can include text, images, and shapes.

Many graphics applications build a final image by compositing several image layers together. The image layers
20 may be thought of as stacked sheets of acetate, with transparent and non-transparent areas. In computer programs, the color and density of the ink on the acetate sheet are generally represented by a color value and an opacity (or "alpha") value, respectively.

25 Each layer typically includes image data, an optional mask, and compositing controls. Typically, the image data is represented by an array of pixels, with each pixel having a color and, optionally, an opacity. Typically, too, the mask is represented by an array of
30 pixels, with each pixel having an opacity. Alternatively, the image data or the mask or both can be defined

analytically, e.g., by using shape outlines, or by other functions that map positions to color and opacity. In addition, the image data and the mask can be dynamic, i.e., computed from other data at the time the layers are
5 composited.

FIG. 1 shows in schematic form a conventional application window 102 displayed on a computer display device by the graphical user interface of a graphics application. Within the window 102 are displayed a window
10 104 showing a picture, and a layers palette window 106 and a layer options dialog box 108 providing information and controls in accordance with invention, by which a user can cause a hot spot to be assigned to an area of the picture.

As shown in FIG. 2, a method 200 of assigning a hot
15 spot to an area in an electronic artwork operates in the context of a digital image (that is, a picture) of a kind that has or can have layers. Through a user interface, the user performs a group of steps (steps 202) to select a layer (which may involve creating a layer) (step 204), to assign a
20 hot spot to the selected layer (step 206), to select a shape for the hot spot (step 208), and to select an action identifier, such as a URL, for the hot spot (step 210).

The foregoing steps can be performed by the user through the layer options dialog box 108 (FIG. 1), as
25 follows. The user enters a name in name box 110. This name will be one of the names NAME₁ through NAME_n of the layers of the picture, which names are shown in the layers palette rows 112-1 through 112-n. The name box 110, like the shape box 116 and the URL input box 118, can be implemented to
30 provide pull-down menus showing permissible or most recently used values.

By checking check box 114, the user indicates that the selected layer is to be used to define the area of a hot spot. In the illustrated implementation, this is done by creating an image map. The shape of the hot spot is

5 indicated by the user in shape box 116 and the action to be associated with the hot spot is indicated in URL box 118.

In the illustrated implementation, the permitted shapes are those supported by a target HTML format, namely rectangle, circle, and polygon, and the actions supported are URLs

10 (Uniform Resource Locators). When a hot spot has been assigned to a layer, the assigned URL is displayed with the layer name, as indicated in rows 112-1 and 112-n. If no hot spot has been assigned, no URL would appear. The application associates the hot spot information -- the shape and the URL -- with the layer as a property of the layer.

At some time, the user will instruct the application to produce a form of output that includes hot spots (step 220, FIG. 2). In the illustrated implementation, in which the hot spot is an area of the picture and the target file
20 format is HTML, this can occur when the user requests the application to show a preview of the artwork in a browser or when the user requests the application to export the artwork as an image file referred to by a generated HTML file.

In response to the request, the application
25 composites the layers of the picture, as it would have done in the absence of hot spots, and the application prepares the hot spot information for output or display, as will now be described. If the graphics application supports dynamic content in layers, the dynamic content for the layers used
30 to define hot spots is calculated before the hot spots are calculated.

In selecting a layer to define a hot spot, the user will naturally select a layer that has one or more non-transparent regions in a transparent frame. The non-transparent region or regions in combination define the area of the hot spot. Each non-transparent region is converted to a perimeter boundary path to which the selected shape is fit (step 222). This may be done by tracing the outer boundary of each non-transparent region in the layer.

In one implementation, the pixels in the layer are scanned and a 1-bit deep bitmap is created for each non-transparent region. For each identified non-transparent region, the outer boundary is traced to create a polygon approximating the outer boundary of the region's original pixels. If shape other than a polygon is requested, the polygons are converted to the requested shape. The union of the one or more shapes formed in this way defines the area of the hot spot, which may be non-contiguous and therefore may generate multiple image maps in an HTML implementation.

In one implementation, the regions are found as follows. The pixels in a copy of the layer (which may be a partial copy) are scanned in a regular fashion. When the first non-transparent pixel is found, it is given a recognizable value and is used as a seed pixel in a seed fill algorithm that is applied to find all contiguous non-transparent pixels, each of which is given the same recognizable value. In this way, the application finds a contiguous region in the layer. The bounding box of the region (the minimum rectangle that includes all pixels of the region) is calculated and stored to use in optimizing later processing. The scanning process is then resumed. When a non-transparent pixel is found, the application

determines whether it is part of a region that has already been found. If it is not, it is given a different recognizable value and the process of finding the extent of the new region is repeated beginning with this new seed
5 pixel. The process continues until all pixels have been scanned.

In one implementation, any holes within a region are ignored. In an alternative implementation, a region having holes is separated to create separate regions that do not
10 contain holes, and the shapes formed from the separate regions contribute to defining the area of the hot spot, as has been described.

Having information necessary to specify a hot spot -- namely one or more formed shapes and a URL (or other
15 action request) -- the application converts this information in the target output format, such as HTML (step 224).

The application may also have to convert the composited picture to a target output format, such as GIF (Graphics Interchange Format), JPEG (Joint Photographic
20 Experts Group), or PNG (Portable Network Graphics).

Having both the composited picture (from step 230) and the hot spot information in the target output format (from step 224), the application can write the composited image with the hot spot information as a file, display it on
25 a display device, or print it. In the illustrated implementation, the target output format is HTML.

The invention can be implemented in digital electronic circuitry or in computer hardware, firmware, software, or in combinations of them. Apparatus of the
30 invention can be implemented in a computer program product tangibly embodied in a machine-readable storage device for

execution by a computer processor; and method steps of the invention can be performed by a computer processor executing a program to perform functions of the invention by operating on input data and generating output. Suitable processors
5 include, by way of example, both general and special purpose microprocessors. Generally, a processor will receive instructions and data from a read-only memory and/or a random access memory. Storage devices suitable for tangibly embodying computer program instructions include all forms of
10 non-volatile memory, including by way of example semiconductor memory devices, such as EPROM, EEPROM, and flash memory devices; magnetic disks such as internal hard disks and removable disks; magneto-optical disks; and CD-ROM disks. Any of the foregoing can be supplemented by, or
15 incorporated in, specially-designed ASICs (application-specific integrated circuits).

Other implementations are within the scope of the following claims.

What is claimed is:

CLAIMS

- 1 1. A method for creating electronic artwork with a hot
2 area, comprising:
3 for a selected layer of the artwork, identifying a
4 non-transparent region of the layer, calculating a
5 definition of an area corresponding to a boundary of the
6 region, and assigning an action to the area, the action
7 defining a function that is activated when the area is
8 selected.
- 1 2. The method of claim 1, wherein:
2 the action is a URL (Uniform Resource Locator).
- 1 3. The method of claim 1, further comprising:
2 compositing the layers of the artwork; and
3 converting the area and the action to a target output
4 format.
- 1 4. The method of claim 3, wherein:
2 the target output format is HTML (HyperText Markup
3 Language).
- 1 5. A computer program, tangibly stored on a
2 computer-readable medium, comprising instructions for
3 causing a computer to:
4 identify a non-transparent region of a layer of an
5 electronic artwork; and
6 assign an action to an area corresponding to the
7 non-transparent region, the action defining a function that
8 will be activated when the area is selected.

1 6. The computer program of claim 5, further comprising
2 instructions to:
3 calculate a boundary of the non-transparent region; and
4 calculate a definition of the area from the boundary.

1 7. The computer program of claim 5, further comprising
2 instructions to:
3 composite the layers of the artwork; and
4 convert the area and the action to a target output
5 format.

1 8. The computer program of claim 7, wherein the target
2 output format for the area and the action is HTML.

1 9. The computer program of claim 8, further comprising
2 instructions to:
3 write out the composited artwork as an image file and
4 write out an HTML file containing an image map for the area
5 and a URL for the action, the HTML file referring to the
6 image file.

ABSTRACT OF THE DISCLOSURE

Apparatus and methods implementing a technique for creating an electronic artwork with a hot area. For a selected layer of the artwork, a non-transparent region is identified and an action is assigned to an area
5 corresponding to the non-transparent region, the action defining a function that will be activated when the area is selected. The technique is advantageous in computer application programs that composite images from layers and
10 for producing HTML (HyperText Markup Language) output that refers to a corresponding composited image, where the action is a URL and the area is defined by an image map.

88718.P11

FIG. 1





FIG. 2



COMBINED DECLARATION AND POWER OF ATTORNEY

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

ASSIGNING A HOT SPOT IN AN ELECTRONIC ARTWORK

the specification of which:

☐ is attached hereto.

☒ was filed on April 10, 1998, and identified as Attorney Docket No. 07844/273001.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, code of Federal Regulations, Section 1.56(a).

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Roger S. Borovoy, Reg. No. 20,193; Hans R. Troesch, Reg. No. 36,950; John F. Land, Reg. No. 29,554; David J. Goren, Reg. No. 34,609; Mark D. Kirkland, Reg. No. 40,048; John D. Cowart, Reg. No. 38,415; John C. Phillips, Reg. No. 35,322; Dan C. Hu, Reg. No. 40,025; Coe F. Miles, Reg. No. 38,559; Denis G. Maloney, Reg. No. 29,670; David L. Feigenbaum, Reg. No. 30,378; Stephan J. Filipek, Reg. No. 33,384; Bao Q. Tran, Reg. No. 37,955

Address all telephone calls to **Hans R. Troesch** at telephone number 650/322-5070.

Address all correspondence to **Roger S. Borovoy**, Fish & Richardson P.C., 2200 Sand Hill Road, Suite 100, Menlo Park, CA 94025.

☒ For Assigned Inventions: I understand that the purpose of making this appointment is to permit prosecution of patent applications for the above-identified invention for the benefit of my assignee, and that this appointment does not create an attorney-client relationship between me and these appointees.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of inventor: Jeffrey H. Michaud

Inventor's signature _____ Date: _____

Residence: Minneapolis, MN
Citizen of: USA
Post Office Address: 5700 Vincent Avenue South, Minneapolis, MN 55410

Full name of inventor: Douglas K. Olson

Inventor's signature _____ Date: _____

Residence: Shoreview, MN
Citizen of: USA
Post Office Address: 1288 Meadow Court, Shoreview, MN 55126